

Work Order ID 142789

Friday, March 11, 2016 1:08:33 PM

142789

Page 1

Item ID: D2573 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle, Aft, Out
 Start Date: 4/22/2016 Start Qty: 12.00 ***12*** Cust Item ID:
 Required Date: 5/6/2016 Req'd Qty: 12.00 ***12*** Customer:
 Reference:

Approvals: Process Plan: ML5 Date: MAR 15 2016 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2573	F								

100
100 HAAS CNC VERTICAL MACHINING #1 0.00
 HAAS 1 Memo 0.07 B.A 16/04/05 12 0 **DAS 08 9-89**
 HAAS CNC vertical machine #1 Program Batch No. B142789 **DAS 20 16-04-07**
 Double check by: SL

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets

2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets

3-Machine Step No 3 per Folio FA051 and insp

110
110 CONVENTIONAL MILLING MACHINE 0.00
 Mill Conv Memo 0.02 B.A 16/04/06 12 0 **DAS 08 9-89**
 Conventional Milling Machine Machine keyway as per dwg D2573 & D2574 **DAS 20 16-04-07**

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
				OTHER : ☐			

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Work Order ID 142789

Friday, March 11, 2016 1:08:33 PM

142789

Page 3

Item ID: D2573 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle, Aft, Out
Start Date: 4/22/2016 Start Qty: 12.00 ***12*** Cust Item ID:
Required Date: 5/6/2016 Req'd Qty: 12.00 ***12*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150 *150* Powdercoat Powder Coating	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum <i>M 134371</i> Memo START TIME: <i>2:05</i> OVEN TEMPERATURE: <i>320</i> FINISH TIME: <i>2:35</i>	0.00 0.00				<i>12</i>	<i>0</i>	<i>16-04-11</i>	<i>23 34 38</i>
160 *160* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.00				<i>(12)</i>			DAS 38 9-89 APR 11 2016
170 *170* Packaging Packaging	Identify as per dwg & Stock Location: <i>81398</i> Memo	0.00 0.00				<i>2x</i>		<i>SP16-04-12</i>	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Friday, March 11, 2016 1:08:33 PM

Page 4

Reference:

Stop *NR2*

Accept Qty	Reject Qty	Reject Number	Insp. Stamp

0.00

QC

Memo

Quality Control

0.02

MC5

~~APR 12 2016~~

MCS APR 12 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Friday, March 11, 2016 1:08:37 PM

Page 1

Work Order ID: 142789

142789

Parent Item: D2573

D2573

Parent Item Name: Saddle, Aft, Out

Start Date: 4/22/2016

Required Date: 5/6/2016

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP: 1 As Per RevE 06-01-27 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-007		Manufactured	No			100	Each	57.0000	1	12			
D6101-007									**			B. 16/04/05	
Saddle Billet													

Location

Loc Qty

Loc Code

MAT041

42

136766

22

→ 140553

20

MAT043

15

→ 135939

15

8.0

4.0

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

DART AEROSPACE LTD	Work Order:	142789
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. F		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.438	0.443		0.438	0.438	0.438	0.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.000	8.000	8.000		
F	0.490	0.510		0.500	0.500	0.500	0.500		
G	0.257	0.262		0.258	0.258	0.258	0.258		
H	0.375	0.380		0.377	0.377	0.377	0.377		
I	0.490	0.510		0.500	0.500	0.500	0.500		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.569	0.569	0.569	0.569		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		0.135	0.135	0.135	0.135		
Q	0.115	0.135		0.123	0.124	0.124	0.124		
R	0.240	0.260		0.256	0.249	0.251	0.252		
S	0.115	0.135		0.126	0.126	0.126	0.126		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		0.240	0.241	0.240	0.240		
W	0.115	0.135		0.126	0.124	0.125	0.124		
X	0.308	0.313		0.311	0.311	0.311	0.311		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.361	0.361	0.361	0.361		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.627	0.627	0.627	0.627		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.251	0.252	0.251	0.251		
AE	1.500	1.520		1.510	1.510	1.510	1.510		
AF	0.115	0.135		0.132	0.132	0.132	0.132		
AG	0.240	0.280		0.240	0.240	0.240	0.240		
AH	0.240	0.260		0.250	0.251	0.253	0.249		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		0.033	0.033	0.033	0.033		

Accept/Reject

DAS

DAS

Measured by: <u>B. A.</u>	DAS <u>08</u> / <u>9-89</u>	Audited by: <u>S.</u>
Date: <u>16/04/06</u>	<u>9-89</u> / <u>16-04-07</u>	Date: <u>16-4-10</u>

Rev	Date	Change	Revised by	Approved
B	02.09.26	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD	Work Order: 172789
Description: Saddle, Aft Outboard	Part Number: D2573
Inspection Dwg: D2573 Rev. F	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	15	16	17	18		
A	0.438	0.443		0.438	.438	.438	.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.000	8.000	8.000		
F	0.490	0.510		0.500	0.500	0.500	0.500		
G	0.257	0.262		0.258	.258	.258	.258		
H	0.375	0.380		0.377	.377	.377	.377		
I	0.490	0.510		0.500	.501	.501	0.501		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.569	.569	.569	0.569		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		0.135	.135	.135	.135		
Q	0.115	0.135		.124	.123	.124	0.124		
R	0.240	0.260		.252	.251	.252	0.252		
S	0.115	0.135		.127	.127	.127	0.127		
T	0.178	0.198		0.188	.188	.188	.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		.240	.240	.240	0.240		
W	0.115	0.135		.126	.128	.128	0.127		
X	0.308	0.313		0.311	0.311	0.311	0.311		
Y	0.760	0.765		0.760	.760	.760	.760		
Z	0.352	0.372		0.362	0.363	0.362	0.362		
AA	0.470	0.530		0.500	.500	.500	.500		
AB	0.615	0.635		0.627	.625	.625	.625		
AC	0.053	0.073		0.063	.063	.063	.063		
AD	0.240	0.260		.251	.250	.250	0.252		
AE	1.500	1.520		1.510	1.511	1.513	1.510		
AF	0.115	0.135		0.132	.130	.130	.130		
AG	0.240	0.280		0.240	.275	.275	0.240		
AH	0.240	0.260		.251	.250	.250	0.251		
AI	2.000	2.020		2.000	2.001	2.003	2.000		
AJ	0.023	0.043		0.033	.033	.033	.033		
Accept/Reject									

Measured by: 20
Date: 16-04-07

Audited by: S
Date: 16-4-10

Rev	Date	Change	Revised by	Approved
B	02.09.26	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD	Work Order: 142789
Description: Saddle, Aft Outboard	Part Number: D2573
Inspection Dwg: D2573 Rev. F	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				#9	#10	#11	#12		
A	0.438	0.443		0.438	0.438	0.438	0.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.000	8.000	8.000		
F	0.490	0.510		0.500	0.500	0.500	0.500		
G	0.257	0.262		.258	.258	0.258	0.258		
H	0.375	0.380		.377	.377	0.377	0.377		
I	0.490	0.510		0.501	0.501	0.501	0.501		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.569	0.569	0.569	0.569		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		.135	.135	0.135	0.135		
Q	0.115	0.135		.125	.125	0.124	0.125		
R	0.240	0.260		0.250	0.250	0.250	0.250		
S	0.115	0.135		0.125	0.125	0.125	0.125		
T	0.178	0.198		.188	.188	.188	.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		0.242	0.241	0.241	0.241		
W	0.115	0.135		0.1254	0.126	0.124	0.124		
X	0.308	0.313		0.311	0.311	0.311	0.311		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.361	0.361	0.361	0.362		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		0.627	0.627	0.627	0.627		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.254	0.253	0.253	0.253		
AE	1.500	1.520		1.510	1.510	1.510	1.510		
AF	0.115	0.135		0.132	0.132	0.132	0.132		
AG	0.240	0.280		0.240	0.240	0.240	0.240		
AH	0.240	0.260		0.249	0.250	0.250	0.249		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		0.033	0.033	0.033	0.033		
Accept/Reject									

Measured by: <i>am</i>	DAS
Date: 16/04/08	02
	9-99

Audited by: <i>sh</i>
Date: 16-4-10

Rev	Date	Change	Revised by	Approved
B	02.09.26	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

